WALK THE CUSTOMER THROUGH EACH OF THE FOLLOWING KEY DELIVERY FEATURES

- ☐ DEFROST page 15 & 17
 - Press the front defrost button.
 - 2 Set to warmest temperature setting.
 - 3 Set to highest fan speed.
- ☐ BLUETOOTH page 22
 - Demonstrate phone pairing Refer to <u>www.hyundaiusa.com/bluetooth</u>
 - Demonstrate QR code
- ☐ BLUE LINK pages 23-24
 - Assist with creating MyHyundai.com account
 - Assist with Blue Link enrollment
 Show Blue Link Users Manual & tear out Voice
 Commands/Quick Tip Card
 - Encourage customers to press the Blue link button

 after enrollment to initiate Welcome Call
- ☐ CLOCK pages 28
 - Demonstrate how to set clock (including daylight savings setting for Navigation equipped vehicles)
- ☐ ECOSHIFT DUAL CLUTCH TRANSMISSION pages 29-31
 - Explain DCT characteristics
- □ NAVIGATION (if applicable) page 26
 - Demonstrate navigation system POI, enter dealer address
- ☐ TIRE PRESSURE MONITORING SYSTEM (TPMS) page 32
 - Explain TPMS function of customer
 - When illuminated, one or more tires are under-inflated
 - Blinks for approximately one minute then remains illuminated when there is a malfunction with the TPMS
- □ VEHICLE SETTINGS pages 12-13 and 26-27
 - Demonstrate vehicle settings in instrument cluster
 - Demonstrate navigation use, enter dealer address
 - Show radio presets





MAINTENANCE

Scheduled Maintenance Normal Usage		Severe Usage*		
Engine Oil And Filter*	Replace	7,500 or 12 mos.	Replace	3,750 or 6 mos.
Fuel Additives *1	Add Every	7,500 or 12 mos.	Add Same	as Normal
Tire Rotation	Perform	7,500	Perform	7,500
Air Cleaner Filter	Inspect Replace	7,500 30,000	Inspect Replace	Same As Norma More Frequently
Battery Condition	Inspect	7,500	Inspect	Same As Norma
Vacuum Hose	Inspect	7,500	Inspect	Same As Norma
Climate Control Air Filter (For Evaporator And Blower Unit)	Replace	15,000	Replace	More Frequently
Air Conditioning Refrigerant	Inspect	15,000	Inspect	Same As Norma
Brake Hoses & Lines	Inspect	15,000	Inspect	Same As Norma
Drive Shafts & Boots	Inspect	15,000	Inspect	7,500 or 6 mos.
Electronic Throttle Control	Inspect	15,000	Inspect	Same As Norma
Exhaust Pipe & Muffler	Inspect	15,000	Inspect	Same As Norma
Front Disc Brake/Pads, Calipers	Inspect	15,000	Inspect	More Frequently
Rear Brake Drums/Linings Rear Brake Disc/Pads	Inspect	15,000	Inspect	More Frequently
Steering Gear Box, Linkage & Boots/ Lower Arm Ball Joint, Upper Arm Ball Joint	Inspect	15,000	Inspect	More Frequently
Suspension Mounting Bolts	Inspect	15,000	Inspect	Same As Norma
Brake/Clutch Fluid	Inspect	30,000	Inspect	Same As Norma
Fuel Filter	Inspect	30,000	Inspect	Same As Norma
Fuel Lines, Fuel Hoses And Connections	Inspect	30,000	Inspect	Same As Norma
Fuel Tank Air Filter	Inspect	30,000	Inspect	Same As Norma
Parking Brake	Inspect	30,000	Inspect	More Frequently
Vapor Hose, Fuel Tank & Fuel Filler Cap	Inspect	30,000	Inspect	Same As Norma
Valve Clearance	Inspect	60,000	Inspect	Same As Norma
Manual Transmission Fluid	Inspect	37,500	Replace	75,000
EcoShift Dual Clutch Transmission Fluid	Inspect	37,500	Replace	75,000
Drive Belt (Alt, A/C)		000 or 72 mos. 5,000 or 24 mos.	Inspect	Same As Norma
Spark Plugs (Iridium Coated)	Replace	105,000	Replace	More Frequently
Coolant		20,000 or 10 yrs. 0,000 or 24 mos.	Replace	Same As Norma

*Check the engine oil regularly between recommended oil change. Hyundai recommends Quaker State oil.

1 If TOP TIER Detergent Gasoline is not available, one bottle of additive is recommended. Additives are available from your uthorized Hyundai dealer along with information on how to use them. Do not mix other additives.

See Owner's Manual for detail

Looking for more detailed information? This Quick Reference Guide does not replace your vehicle's Owner's Manual, If you require additional information or are unsure of a specific issue, you should always refer to the vehicle's Owner's Manual or contact your authorized Hundai dealer

The information contained in this Quick Reference Guide was correct at the time of printing, however, specifications and equipment can change without notice. No warranty or guarantee is being extended in this Quick Reference Guide, and Hyundai reserves the right to change product specifications and equipment at any time without incurring obligations. Some vehicles are shown with optional equipment. Specifications apply to U.S. vehicles only. Please contact your Hyundai dealer for current vehicle specifications.

NP150-V2014 (Rev 10/20/14) Printing 10/23/14





Roadside Assistance: 1-800-243-7766 Consumer Affairs: 1-800-633-5151

Consumer Affairs: 1-1
XM® Radio: 1-1
Blue Link: 1-1

1-800-633-5151 1-800-967-2346 1-855-2BLUELINK (1-855-225-8354)

Table of contents

GETTING STARTED

Engine Start/Stop
Remote keyless entry
Front seat adjustment
Headrest adjustment
Seat belt adjustment

FEATURES AND CONTROLS	
Active ECO System	33
Central door lock switch	07
Child-protector rear door lock	11
Climate control	14-17
Clock adjustment	28
Cruise control system	18
Driver's main control	07
Electronic Stability Control (ESC)	33
Fuel door	06
Head lights and fog lights	08
Instrument cluster	12-13
Instrument panel illumination	13
Interior lights	11
Rearview camera	31
Steering wheel adjustments	06
Steering wheel controls	18-19
Sunroof	10
Transmissions	29-31
Trip computer	13
Tire Pressure Monitoring System (TPM	S) 32
Wiper and washer	09

MULTIMEDIA

Audio	25
AUX, USB, and iPod® Port	28
Blue Link® Telematics system	23-24
Bluetooth operational tips	20-21
Bluetooth phone pairing	22
Navigation	26-27

^{*}Some vehicles may not be equipped with all the listed features.

How to:

- 1. Pair phone to your vehicle. Refer to page 22.
- 2. Get started with Blue Link. Refer to page 23-24.



Wiper and washer Page 09




Audio/ Navigation Pages 25-27



Navigation Audio

Navigation





Use this Quick Reference Guide to learn about the features that will enhance your enjoyment of your Hyundai. More detailed information about these features are available in your Owner's Manual.

Steering wheel

adjustments

Page 06

Instrument

Pages 12-13

cluster



WARNING!

To reduce the risk of serious injury to yourself and others, read and understand the important SAFETY INFORMATION in your Owner's Manual.





GETTING STARTED

REMOTE KEYLESS ENTRY















Panic



Smart Kev





Driver's door Lock/Unlock

Smart key must be within range.

Press:

Once - Unlock driver door

Twice - Unlock all doors

Third - Lock all doors




Remove mechanical key

Press and hold the release A button and remove the key.

Reinstall mechanical key

Put the key into the key slot and push it until a click sound is heard.

ENGINE START/STOP BUTTON



With the ignition OFF, press the engine start/stop button:

- Once for ACC (Accessory) mode.
- Twice for ON mode.
- Three times for OFF.

To start the engine, press the start/stop button while:

- EcoShift Dual Clutch Transmission: depressing the brake pedal.
- Manual Transmission: depressing the clutch and brake pedals.

To shut engine OFF, shift to:

- EcoShift Dual Clutch Transmission: P (Park) and press the start/stop button.
- Manual Transmission: Select 1st gear or Neutral, apply the hand brake, and press the start/stop button.

Emergency situations

• Shut off engine while driving:

Press engine start/stop button for more than 2 seconds or press it 3 times consecutively within 3 seconds.


• Restart engine while driving:

Press engine start/stop button with shift lever in N (Neutral).



GETTING STARTED

FRONT SEAT ADJUSTMENT (Manual Seat Adjustment)



♠ Forward / backward







B Seat cushion height (driver's seat only)





Seatback angle






• Folding Lever (driver's seat only)





FRONT SEAT ADJUSTMENT (Power Seat Adjustment)



A Forward / backward (driver's seat only)









B Seatback angle





● Folding Lever (driver's seat only)






• Lumbar support (driver's seat only)






HEADREST ADJUSTMENT



Press lock knob while pressing down on headrest.

SEAT BELT ADJUSTMENT (Driver's Front seat)



Set the belt extension guide to one of the 3 positions when using the seat belt.

See Owner's Manual for additional seat belt information.



STEERING WHEEL ADJUSTMENTS











NOTE: Do not adjust while driving.

- 1. Pull the lever **a** down to release.
- 2. Set the angle and distance 3. Pull the lever up to lock.

FUEL DOOR








NOTE

After adding fuel, always reinstall the fuel cap onto the filler neck by rotating it clockwise until it clicks once.

Failure to do this may result in the Check Engine Light () illuminating.

Check the engine oil regularly between recommended oil changes.

DRIVER'S MAIN CONTROLS




Window Auto down/up (driver's side only) Press past detent to fully

open/close window.



Power Window Lock Switch

Disables the power window switches on the passenger doors.



Outside Rearview Mirrors

Move the selecting switch

A to the


right or left for adjusting the outside rearview mirrors.

Depress the appropriate direction

(◄♣►) on the switch.

Middle position Lock the control.

CENTRAL DOOR LOCK SWITCH



All doors will lock. All doors will unlock.

















HEAD LIGHTS AND FOGLIGHTS



Escort Function


Head lights will stay on for approximately 30 seconds after exiting and locking vehicle. Press remote lock button twice to turn head light off. See Owner's Manual for more detail.

Turn signals and lane change signals Flashing head lights





High beam



Fog light




HYUNDAI

VELOSTER

WIPER AND WASHER

Front Wiper and Washer



MIST - Single wipe

OFF - Off

INT - Intermittent wipe


- Normal wiper speed LO

- Fast wiper speed HI

Front Intermittent wipe time adjustment



Rear Wiper and Washer



ON - Normal wiper operation

- Intermittent wiper operation INT


OFF - Wiper off





SUNROOF

Sliding the sunroof



To Open

Press switch backward.


Press switch backward past the detent to open completely.

To Close


To Tilt


Press switch forward and hold.

Press or pull switch up or down.




Tilting the sunroof





INTERIOR LIGHTS



Push the lens **(A)** to turn the map lamp on or off. Switch **(B)**

ON

Map lamp and room lamp will turn on.


DOOR

Map lamp and room lamp will turn on when any door is open except tailgate.

OFF


The lights stay off at all times, except when individually turned on.

Room lamp



CHILD-PROTECTOR REAR DOOR LOCK

Allows or prevents opening the rear door from inside of the vehicle.





Lock (⊕)

Insert a key into the hole and turn it to the lock ($\widehat{\ }$) position.





Unlock

Insert a key into the hole and turn it clockwise to the unlock position.










INSTRUMENT PANEL ILLUMINATION




TRIP COMPUTER







CLIMATE CONTROL (Manual climate control)





- A Mode selection buttons
- **B** Temperature control knob
- Fan speed control knob
- Air Conditioning button

MODE SELECTION







Floor Defrost Level

- Front windshield defrost button
- Rear window defroster button
- Air intake control button
- MAX Air Conditioning button

AIR INTAKE CONTROL



This is used to select outside (fresh) air position or recirculated air position.

Outside (fresh) air position

Recirculated air position

DEFROSTING/DEFOGGING



1. Press the front windshield defrost control.



2. Set the temperature control to the warmest setting.



3. Set the fan speed to the highest setting.

NOTE

To reduce the tendency of the glass fogging and improve visibility, keep the interior surface of the windshield clean by wiping it with a clean cloth and glass cleaner.

REAR WINDOW DEFROSTER



Press to activate / deactivate the rear defroster.






















CLIMATE CONTROL (Automatic climate control)



- A Mode selection button
- **B** Temperature control knob
- Fan speed control buttons
- Air Conditioning button
- Front windshield defrost button
- Rear window defroster button
- G Air intake control button
- Climate button

MODE SELECTION







Floor Defrost Level

AIR INTAKE CONTROL



This is used to select outside (fresh) air position or recirculated air position.

Outside (fresh) air position

Recirculated air position

DEFROSTING/DEFOGGING



1. Press the front windshield defrost control.



2. Set the temperature control to the warmest setting.



3. Set the fan speed to the highest setting.

NOTE

To reduce the tendency of the glass fogging and improve visibility, keep the interior surface of the windshield clean by wiping it with a clean cloth and glass cleaner.

REAR WINDOW DEFROSTER



Press to activate / deactivate the rear defroster.


















STEERING WHEEL CONTROLS

Cruise control system







To set a cruising speed

- 1. Press ON/OFF button (A) and the CRUISE indicator will illuminate in the instrument cluster.
- 2. Accelerate to desired cruising speed (above 25 mph). Press SETbutton **©** and remove your foot from the accelerator pedal.

To accelerate or decelerate

Press RES + button B up to increase set cruising speed.

Press SET - button @ down to decrease set cruising speed.

To cancel cruising speed

Press CANCEL button **D**, depress brake pedal, or press ON/OFF button (A).

Audio control



A VOLUME

Raise or lower speaker volume.


B MODE

Change the audio source. Hold to turn Audio power ON/OFF.

SEEK/PRESET

Press to change presets. Press and hold to seek stations.

Bluetooth control



A CALL

Place and transfer call.

B END

End call or cancel function.

© TALK

Activate voice recognition.




BLUETOOTH OPERATIONAL TIPS

In the following situations you or the other party may have difficulty hearing each other:

- 1. When the Bluetooth volume is at a high level. Keep the Bluetooth volume to a low level to reduce distortion and echo.
- 2. When driving on a rough road, high speeds and/or with the window open.
- 3. When the air conditioning vents are facing the microphone and/or when the air conditioning fan is at the max speed.

Bluetooth control



- **A** CALL
 - Place and transfer call.
- **B END**End call or cancel function.
- **© TALK**Activate voice recognition.

To Answer a Call:

Press button on the steering wheel.

To Reject a Call:

• Press 🚗 button on the steering wheel.

To Adjust Ring Volume:

• Use the VOLUME buttons on the steering wheel.

To Transfer a Call to the Phone (Secret Call):

• Press and hold button on the steering wheel until the audio system transfers a call to the phone.

To Finish a Call:

Press button on the steering wheel.

Making a call using voice recognition:

The menu tree identifies available voice recognition Bluetooth® functions.

Calling by Name:

- 1. Press A button.
- 2. Say the following command:
 - "Call < John>": Connects the call to John.
 - "Call <John> on <Mobile/Home/Office>: Connects the call to John's Mobile, Home, or Office phone number.

Dialing by Number:

- 1. Press > button.
- 2. Say "Call".
- 3. Say "By number" when prompted.
- 4. Say desired phone numbers.
- 5. Say "Dial" to complete the number and make a call.

For complete list of commands, refer to your Owner's Manual.

VOICE RECOGNITION TIPS

Your vehicle is equipped with Voice Recognition technology which allows drivers to operate their phones without having to take their eyes off the road to minimize distractions.

Voice recognition performance may be affected if driving with windows and sun roof open; when the heating-cooling system is on; when passing in a tunnel or when driving on rugged and uneven roads.

Quick reference on using voice commands

To start voice command. Press the \nearrow key, the following commands are available:

Command	Function
More Help	Provides guidance on commands that can be used anywhere in the system
Help	Provides guidance on commands that can be used within the current mode.
Calls <name></name>	Calls <name> saved in Contacts. Ex) Call "John"</name>
Dial <number></number>	Call can be made by dialing the spoken numbers. Ex) Call "123"
Phone	Provides guidance on Phone related commands. After saying this command, say "Call History", "Contacts" to execute corresponding functions.
Call History	Displays the Call History screen.
Contacts (Call by Name	Displays the Contacts screen. After saying this command, say the name of a contact saved in the Contacts to automatically connect the cell.
Dial Number	Display the Dial number screen. After saying this command, you can say the number what you want to call.





BLUETOOTH PHONE PAIRING

Pairing tutorials, phone compatibility and Operational tips can be found through the Smart QR code using the QR reader application on your Smartphone.



Phone setup (pairing phone)

- Press PHONE button on the radio or on the steering wheel remote control.
- 2. Touch "Yes" to search for Bluetooth phones.






- 3. In your phone, initiate a search for Bluetooth devices.
- 4. After search is completed in your phone, select "Veloster".
- 5. Input the passkey displayed on screen to your phone.



Please visit www.hyundaiusa.com/Bluetooth for a list of compatible phones tested to work with Hyundai's Bluetooth® system.

BLUE LINK TELEMATIC SYSTEM



Press the **2** button for access to the voice-response menu of services. You have two options:

- You can say, "Main Menu" for a listing of main menu choices.
- You can directly select any of the listed menu items by saving its name.



Cancel

- Press the / button for navigation-related services.
- Press the Sos button for SOS Emergency Assistance.
- Refer to your Blue Link User's Manual for detailed information on system operation.
- For immediate assistance with subscription services, please call 1-855-2BLUELINK (1-855-225-8354).
- Please register your Blue Link at www.myhyundai.com.

Blue Link feature availability is dependent upon your Blue Link subscription package(s).

22 HYUNDAI **VELOSTER** 23



Remote Door Unlock/Lock Blue Link Mobile App



You can download the Blue Link mobile app to your compatible smart phone from the following sites:

- iPhone® Apple® App Store
- Android® Google Play

With this feature, you can lock or unlock your vehicle doors from virtually anywhere by using the Blue Link mobile phone app, by dialing the toll-free number, or by using the Blue Link owner's website.

• To use this feature, you must have a Blue Link Personal Identification Number (PIN). To create or change your PIN, log on to www.MyHyundai.com.

To Activate Remote Door Unlock/Lock

- By Blue Link Mobile App: Select DOOR UNLOCK or DOOR LOCK, as desired.
 - Enter your Blue Link PIN.
 - The command to lock or unlock your doors will be sent to your vehicle.
- By phone: Dial toll-free 1-855-2-BLUELINK (1-855-225-8354).
- By web site: Log on to www.MyHyundai.com, select Blue Link.
 - Select Remote Services, then Remote Door Unlock/Lock.
 - Input your Blue Link PIN. (If you need time to get to your vehicle, specify a time delay before your vehicle will be unlocked.)

AUDIO

Non-Navigation



Navigation







Press POWER button 6 to turn radio on.

- TUNING/LISTENING TO CHANNELS
 - 1. Press FM/AM A or XM® B.
 - 2. Rotate TUNE (a) to desired channel.

NOTE

A clear view of the southern sky is recommended to ensure XM® radio reception.

• SETTING PRESET BUTTONS

Six preset frequencies each for FM1/FM2/AM modes can be stored manually.



- 2. Select the desired station.
- 3. Touch and hold one of the preset buttons until audible beep is heard.
- ADJUSTING THE SOUND
 - 1. Press SETUP D.
 - 2. Touch "Sound" on screen.
- Touch the arrows on screen to adjust desired sound setting.





Please refer to your Owner's Manual for more detailed information on how to use your audio system. Complimentary XM® subscription ends three months following the vehicle date of sale. Please contact XM® Radio at 1-800-XM-RADIO (1-800-967-2346) to renew your XM® subscription.



NAVIGATION

Map position



Destination menu



- Address: Finds a destination by setting an address.
- Previous Destinations: Destination you have previously entered.
- POI (Point of Interest) Search: Search for a destination category or name.
- Emergency: Finds a destination by searching for a police station, hospital or Hyundai dealership.

Playing Pandora





- 1. Ensure you have Pandora app on your smart phone.
- 2. Pair your smart phone to the Bluetooth system.
- 3. Select "Media" on Audio screen.
- 4. Select "Pandora".
- 5. Initiate Pandora app on your smartphone.

NOTE Not all smart phones are compatible












IFEATURES AND CONTROLS

AUX, USB AND iPod® PORT







Use these jacks to connect an external USB, audio or video device.

To view compatible video, connect the device to the supplied Hyundai RCA adapter video cable. Then connect the RCA adapter cable to the AUX jack.

NOTE

To operate your iPod® through the vehicle's audio system, connect your Apple supplied USB cable to the USB port.

CLOCK ADJUSTMENT



Time Setup


- 1. Press and hold CLOCK A.
- 2. Touch ▲ or ▼ to set the clock.
- 3. Touch "Done" when finished.

TRANSMISSIONS

EcoShift Dual Clutch Transmission

EcoShift Dual Clutch Transmission technology provides automatic shifting and excellent fuel economy based on manual transmission efficiency.





(→): Depress the brake pedal when shifting.

(⇒): The shift lever can be shifted freely.

: Park R: Reverse


N : Neutral D: Drive

Ds: Sport Mode

[+]: Sport Mode Upshift

[-]: Sport Mode Downshift

Paddle shifters



The paddle shifters operate when the shift lever is in the D position or the Sport Mode.

- When you pull the [+] or [-] paddle shifter once, the system changes from automatic mode to Sport Mode.
- When paddle shifters are no longer used the system changes back to automatic mode.

NOTE

If you pull the [+] and [-] paddle shifters at the same time, the transmission will not change gears.





NOTE - EcoShift Dual Clutch Transmission characteristics


The new technology of the ECOShift Dual Clutch Transmission is different than a traditional automatic or manual transmission:

- The EcoShift Dual Clutch Transmission is an automatically shifting manual transmission.
- EcoShift Dual Clutch Transmission utilizes two clutches connected to a computer-controlled manual gearbox. It provides the convenience of a transmission that shifts automatically, with the efficiency of a manual transmission.
- When you turn the ignition on and off, you may hear clicking sounds as the transmission solenoids turn on and off, cycling through a self test. This is a normal sound for the EcoShift Dual Clutch Transmission.
- When you stop on a hill, if you remove your foot from the brake pedal, the vehicle will remain stationary for approximately two seconds to prevent the vehicle from rolling backwards. If you depress the accelerator pedal during the two second interval, the vehicle will accelerate. If you wait more than two seconds, the vehicle will enter creep mode and may roll backwards if the hill is steep.

Caution

- You should always use the foot brake to hold the car on a hill until you are ready to drive. Using creep mode to hold the car on a hill may damage the clutch.
- An overload of the clutch is indicated by a shudder or vibration and a blinking warning light. To prevent clutch damage, the clutch will release. If the clutch is released, apply the foot brake and wait a few of minutes before driving. Ignoring these warnings and wait time can lead to transmission damage.

Sport Mode




Move the shift lever from D to DS to activate Sport Mode.

Sport mode is a recalibrated automatic mode that will hold gears longer and downshift at higher RPM for a more dynamic driving style.


If you use the paddle shifters (or [+] or [-]) to enter the Sport Mode, you will stay in Sport Mode until the shift lever is returned to Drive, giving you full manual control.

Manual Transmission









Shifting into Reverse

- 1. Fully depress the clutch A
- 2. Shift into Neutral B
- 3. Pull the Shift Lever Knob 6
- 4. Shift into Reverse D

REARVIEW CAMERA



The rearview camera will activate when the ignition switch is ON and the shift lever is in the R (Reverse) position.










TIRE PRESSURE MONITORING SYSTEM (TPMS)







Low tire pressure indicator / TPMS malfunction indicator


Low Tire Pressure Indicator

Illuminates if one or more of your tires is significantly under-inflated.

TPMS Malfunction Indicator

Blinks for approximately one minute then remains illuminated when there is a malfunction with the TPMS system. Have the system checked by an authorized Hyundai dealer.


ELECTRONIC STABILITY CONTROL (ESC)



The ESC system is an electronic system designed to help the driver maintain vehicle control under adverse conditions.

Press 🛃 to turn ESC on or off.

ACTIVE ECO SYSTEM



Active ECO System helps improve fuel efficiency by controlling the engine and transmission.

Active ECO on - For optimal fuel efficiency Active ECO off - For optimal performance and drivability.

When Active ECO system is activated, the behavior of the vehicle will change to a suppressed acceleration and delayed gear shifts under part throttle operation.

To improve your fuel efficiency:

- Accelerate at a moderate rate
- Keep tires inflated to the recommended pressure on the placard
- Be sure the wheels are properly aligned
- Avoid unnecessary braking
- Drive between 55-65 mph on the freeway

Key Websites

Hyundai website - www.hyundai.com

Hyundai owner website - www.myhyundai.com

Bluetooth phone compatibility - www.hyundaiusa.com/bluetooth

Blue Link - www.hyundaiusa.com/technology/bluelink

32 HYUNDAI **VELOSTER** 33

VELOSTER CUSTOMER DELIVERY CHECK LIST

HYUNDAI OWNER	DEALERSHIP NAME
SALES CONSULTANT	DATE
VIN	PREVIOUS VEHICLE

BEFORE DELIVERY

☐ CONFIRM "GOOD BATTERY" USING GR8 AND STAPLE TEST TICKET HERE
☐ SET TIRE PRESURE LF RF RR LR
□ VERIFY VEHICLE IS CLEAN, IN GOOD CONDITION, FREE OF CHIPS AND SCRATCHES · CLEAN WINDSHIELD AND BACK WINDOW
☐ ENSURE FLOORMATS ARE SNAPPED INTO PLACE

Sales Consultant	Date	 Sales Manager	Date
	24.0	oaloo Mariago.	Date
Customer			Date
		@	
Email			