

**CONSUMER INFORMATION ON:**

- **Cargo Weight Rating**
- **Center of Gravity**

**for 2015**

**RAM  
TRUCKS**

**Camper Application**

**2015**

**Consumer Information**

**Ram Trucks for**

**Camper Application**

Under the authority of the National Traffic and Motor Vehicle Safety Act, the National Highway Traffic Safety Administration (NHTSA) has established certain requirements concerning trucks capable of accommodating slide-in campers. Manufacturers of such trucks are required to provide, "... the cargo weight rating and the longitudinal limits within which the center of gravity should be located."

This booklet is a compilation of that data. It is designed for the use and guidance of prospective purchasers who intend to use Ram light-duty pickup trucks to carry slide-in campers and related equipment.

Because conditions of improper load distribution or overloading can have adverse effects on vehicle steering and braking ... possibly resulting in accidents ... knowledge of the cargo weight rating and location of the center of gravity should be important factors to the prospective purchaser of any truck-camper combination.

In keeping with governmental requirements, this information must be maintained in truck dealerships and must be made available to all prospective purchasers who request it. If it becomes necessary to revise this information during a model year, dealers are responsible for making such revisions available to the public.

**FCA US LLC**

.....

**EXCLUSIONS:**


The following Ram Truck models are **NOT** recommended for slide-in camper applications:

**RAM**

- All Ram 2500 Power Wagon models.

<p><b>Additional copies of this publication are available at no cost from:</b></p>	<p><b>FCA US LLC P.O. Box 3189 Highland Park, Michigan 48203</b></p>
--	--

## CONSUMER INFORMATION: TRUCK-CAMPER LOADING



The tables on the following pages designate the Cargo Weight Rating and the Center of Gravity Zone for each vehicle listed.

- CARGO WEIGHT RATING (CWR) for a given truck model is the cargo capacity, in pounds, excluding the weight of occupants in the cab of the vehicle.
- CENTER OF GRAVITY (CG) ZONE is the area BETWEEN the forward limit dimension "A", and the rearward limit dimension "B" ... both measured in inches from the rear end of the truck bed or pickup box (see illustration above).
- When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure, the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of passengers in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended center of gravity zone when installed.
- Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive to a scale and weigh on the front and on the rear wheels separately to determine axle loads. Individual axle loads should not exceed either of the gross axle weight ratings (GAWR). The total of the axle loads should not exceed the gross vehicle weight rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

### USING THE TABLES:

- At the top of each page are descriptions of the truck models; wheelbase; type of cab; size of pickup box; style of seats; and the gross vehicle weight rating (GVWR) applicable to the truck.
- Sub-headings classify the CWR and CG zone dimensions based on engine types available. Under the "options" column, items of optional equipment (related to the vehicle's intended use) are listed in various combinations, indicating their influence on CWR figures.
- When reading the tables, you will notice that, as more optional equipment is added to the base vehicle (reading down from line 1 to line 8), the CWR is decreased due to the additional weight of the options. At the same time, the size of the CG zone changes due to the LOCATION of the added weight.

**INSTALLING THE CAMPER:**

- The center of gravity (CG) of the loaded camper, as determined and marked by the camper manufacturer, must fall within the CG zone of the truck (see illustration above).
- The total weight of the fully-equipped camper, furnished by the camper manufacturer, should not exceed the CWR of the truck. After the camper and auxiliary equipment is installed, proper loading should be verified on an accurate truck scale before putting the vehicle into service.
- Be sure the gross vehicle weight rating (GVWR) of the truck is not exceeded and that the loading on front and rear axle systems does not exceed their respective gross axle weight ratings (GAWR).

NOTE: GVWR and GAWR data for the truck appears on the Safety Certification label, located on the door-latch post, on the driver's side.

**2015  
RAM 1500  
CAMPER GUIDE**

Model Ram 1500 4X2 HFE (High Fuel Economy)  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6010  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 HFE (High Fuel Economy)  
**5.7L V8 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6335

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
951	75.0 / 190.5	25.0 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6700  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6700  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6700

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6700

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6700  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6700  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6025  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bucket  
 GVWR (lbs) 6025

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
952	75.0 / 190.5	25.0 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6350  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bucket  
 GVWR (lbs) 6350

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1048	75.0 / 190.5	25.0 / 63.5



Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star <b>3.6L V6 Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1108	75.0 / 190.5	25.0 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star <b>3.6L V6 Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	6600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1233	75.0 / 190.5	25.0 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star <b>3.0L Diesel Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench/Bucket	
GVWR (lbs)	6600	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star <b>5.7L V8 Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star <b>5.7L V8 Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	6600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1014	75.0 / 190.5	25.0 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6700

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6700

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.6L V6 Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.6L V6 Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6700

Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench  
 GVWR (lbs) 6700  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench  
 GVWR (lbs) 6950  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**5.7L V8 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**5.7L V8 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench  
 GVWR (lbs) 6700  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6025  
 Model not recommended for slide-in camper application

---

Model Ram 1500 4X2 ST, Tradesman, Express  
**5.7L V8 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6350

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
977	75.0 / 190.5	25.0 / 63.5

Model	Ram 1500 4X2 ST, Tradesman, Express <b>3.6L V6 Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1132	75.0 / 190.5	25.0 / 63.5

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**

Cab (Box) Seats Reg Cab 8' Box Bench

GVWR (lbs) 6600

Model not recommended for slide-in camper application

Model	Ram 1500 4X2 ST, Tradesman, Express <b>5.7L V8 Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
999	75.0 / 190.5	25.0 / 63.5

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**5.7L V8 Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.6L V6 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench  
GVWR (lbs) 6700  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6700  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6700  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6700  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6700  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application



Model Ram 1500 4X2 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bucket  
GVWR (lbs) 6700  
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T  
**5.7L V8 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bucket  
 GVWR (lbs) 6700  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T  
**5.7L V8 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bucket  
 GVWR (lbs) 6200

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
942	75.0 / 190.5	25.0 / 63.5

Model Ram 1500 4X2 Sport, R/T  
**5.7L V8 Engine**  
 Cab (Box) Seats Crew Cab 6'4" Box Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T  
**5.7L V8 Engine**  
 Cab (Box) Seats Crew Cab 5'7" Box Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6950  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6950  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**  
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6300  
 Model not recommended for slide-in camper application

---

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bucket  
 GVWR (lbs) 6300

BUCKET

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)		
994	75.0 / 190.5	25.0 / 63.5

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star <b>5.7L V8 Engine</b>
Cab (Box) Seats	Reg Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6350
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star <b>3.6L V6 Engine</b>
Cab (Box) Seats	Reg Cab 8' Box Bench
GVWR (lbs)	6800
	<u>BENCH</u>
	"A" "B"
	(in/cm) (in/cm)
CWR (lbs)	
1080	75.0 / 190.5 25.0 / 63.5

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star <b>3.6L V6 Engine</b>
Cab (Box) Seats	Reg Cab 8' Box Bucket
GVWR (lbs)	6800
	<u>BUCKET</u>
	"A" "B"
	(in/cm) (in/cm)
CWR (lbs)	
1197	75.0 / 190.5 25.0 / 63.5

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star <b>3.0L Diesel Engine</b>
Cab (Box) Seats	Reg Cab 8' Box Bench/Bucket
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star <b>5.7L V8 Engine</b>
Cab (Box) Seats	Reg Cab 8' Box Bench/Bucket
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star <b>3.0L Diesel Engine</b>
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.6L V6 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**3.0L Diesel Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star  
**5.7L V8 Engine**

Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.6L V6 Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.0L Diesel Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**5.7L V8 Engine**

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6300  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**5.7L V8 Engine**  
 Cab (Box) Seats Reg Cab 6'4" Box Bench  
 GVWR (lbs) 6350  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.6L V6 Engine**  
 Cab (Box) Seats Reg Cab 8' Box Bench  
 GVWR (lbs) 6800

CWR (lbs)	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
1136	75.0 / 190.5	25.0 / 63.5

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.0L Diesel Engine**  
 Cab (Box) Seats Reg Cab 8' Box Bench  
 GVWR (lbs) 6600  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**5.7L V8 Engine**  
 Cab (Box) Seats Reg Cab 8' Box Bench  
 GVWR (lbs) 6600  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.0L Diesel Engine**  
 Cab (Box) Seats Crew Cab 6'4" Box Bench  
 GVWR (lbs) 6800  
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.0L Diesel Engine**  
 Cab (Box) Seats Crew Cab 6'4" Box Bench  
 GVWR (lbs) 6950  
 Model not recommended for slide-in camper application



Model Ram 1500 4X4 ST, Tradesman, Express  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bench  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.6L V6 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited  
**3.0L Diesel Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6950  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Quad Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Reg Cab 6'4" Box Bucket  
GVWR (lbs) 6350  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 6'4" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application

Model Ram 1500 4X4 #N/A  
**5.7L V8 Engine**  
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket  
GVWR (lbs) 6800  
Model not recommended for slide-in camper application



**2015  
RAM 2500  
CAMPER GUIDE**

Model	Ram 2500 4X2 140.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench		
GVWR (lbs)	10000		
	<u>BENCH</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
		27.81999969	/
3301.0	75 / 190.5	70.66279922	

Model	Ram 2500 4X2 140.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket		
GVWR (lbs)	10000		
	<u>BUCKET</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
		32.18000031	/
3455.8	75 / 190.5	81.73720078	

Model	Ram 2500 4X2 140.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench		
GVWR (lbs)	9900		
	<u>BENCH</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
		25 / 63.5	
3218.7	75 / 190.5		

Model	Ram 2500 4X2 140.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket		
GVWR (lbs)	9900		
	<u>BUCKET</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
		27.77000046	/
3358.3	75 / 190.5	70.53580116	



---

Model	Ram 2500 4X2 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2287.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2521.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2185.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2420.2	75 / 190.5	25 / 63.5

---

---

Model Ram 2500 4X2 140.5 in. WB  
**5.7L V8 HEMI Gas Engine Engine**

Cab (Box) Seats Reg Cab, 8 Foot Box Bench

GVWR (lbs) 9000

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
-----------	----------------	----------------

---

2366.3	75 / 190.5	25 / 63.5
--------	------------	-----------

---

Model Ram 2500 4X2 140.5 in. WB

**5.7L V8 HEMI Gas Engine Engine**

Cab (Box) Seats Reg Cab, 8 Foot Box Bucket

GVWR (lbs) 9000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
-----------	----------------	----------------

---

2505.9	75 / 190.5	25 / 63.5
--------	------------	-----------

---

Model Ram 2500 4X2 160.5 in. WB

**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**

Cab (Box) Seats Mega Cab, 6.4 Foot Box Bench

GVWR (lbs) 10000

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
-----------	----------------	----------------

---

1962.0	75 / 190.5	25 / 63.5
--------	------------	-----------

---

Model Ram 2500 4X2 160.5 in. WB

**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**

Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket

GVWR (lbs) 10000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
-----------	----------------	----------------

---

2113.8	75 / 190.5	25 / 63.5
--------	------------	-----------

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1860.6	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2012.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1076.4	62.47000122 / 158.6738031	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1291.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
974.9	64.55999756 /	25 / 63.5
	163.9823938	

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1190.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1029.8	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1181.6	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2314.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2466.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2212.6	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2364.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1357.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1568.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1255.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1467.2	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1396.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1548.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2141.5	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2293.3	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2006.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2158.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1195.8	65.54000092 / 166.4716023	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1410.7	75 / 190.5	25 / 63.5



---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1094.4	67.5 / 171.45	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1309.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1171.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1322.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 140.5 in. WB		
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench		
GVWR (lbs)	10000		
	<u>BENCH</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
		49.6800031	/
3340.2	75 / 190.5	126.1872008	

Model	Ram 2500 4X2 140.5 in. WB		
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench		
GVWR (lbs)	9900		
	<u>BENCH</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
		45.50999832	/
3240.2	75 / 190.5	115.5953957	

Model	Ram 2500 4X2 140.5 in. WB		
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench		
GVWR (lbs)	10000		
	<u>BENCH</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
2394.4	75 / 190.5	25 / 63.5	

Model	Ram 2500 4X2 140.5 in. WB		
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>		
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench		
GVWR (lbs)	9900		
	<u>BENCH</u>		
	"A"	"B"	
CWR (lbs)	(in/cm)	(in/cm)	
2294.4	75 / 190.5	25 / 63.5	

---

Model	Ram 2500 4X2 140.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2419.6	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2478.0	75 / 190.5	29.19000053 / 74.14260136

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2378.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
1528.2	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1440.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1560.5	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2308.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2208.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	70.12000275	/
1341.7	178.104807	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	72.37000275	/
1241.7	183.819807	25 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	75 / 190.5	25 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2163.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1916.5	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2063.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1060.2	67.95999908 / 172.6183977	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1270.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
960.2	70.84999847 / 179.9589961	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1170.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1084.3	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1230.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2346.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2482.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2246.7	75 / 190.5	25 / 63.5



---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2382.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1358.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1553.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1258.2	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1453.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1416.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1552.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2106.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2257.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2006.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2157.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1173.4	62.5 / 158.75	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1387.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1073.4	64.38999939 / 163.5505984	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1287.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1171.1	75 / 190.5	25 / 63.5

---

Model Ram 2500 4X2 169.5 in. WB  
**5.7L V8 HEMI Gas Engine Engine**  
Cab (Box) Seats Crew Cab, Long, 8 foot Box Bucket  
GVWR (lbs) 9000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1322.6	75 / 190.5	25 / 63.5

---

---

Model Ram 2500 4X2 160.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**  
Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket  
GVWR (lbs) 10000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
2154.6	75 / 190.5	25 / 63.5

---

---

Model Ram 2500 4X2 160.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**  
Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket  
GVWR (lbs) 9900

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
2054.3	75 / 190.5	25 / 63.5

---

---

Model Ram 2500 4X2 160.5 in. WB  
**6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine**  
Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket  
GVWR (lbs) 10000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1193.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1093.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 160.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1122.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2320.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2320.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1488.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1392.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1489.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2200.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2100.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1286.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1186.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X2 169.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1265.6	75 / 190.5	25 / 63.5



---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2918.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3057.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2816.6	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2956.2	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1959.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2177.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1857.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2076.4	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1992.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 140.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2131.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1707.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1858.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1605.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1757.4	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
943.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench/ Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB <b>5.7L V8 HEMI Gas Engine Engine</b>
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 160.5 in. WB <b>5.7L V8 HEMI Gas Engine Engine</b>
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket
GVWR (lbs)	9000
	<u>BUCKET</u>
	"A" "B"
CWR (lbs)	(in/cm) (in/cm)
915.0	75 / 190.5 25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	10000
	<u>BENCH</u>
	"A" "B"
CWR (lbs)	(in/cm) (in/cm)
1987.0	75 / 190.5 25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket
GVWR (lbs)	10000
	<u>BUCKET</u>
	"A" "B"
CWR (lbs)	(in/cm) (in/cm)
2139.2	75 / 190.5 25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	9900
	<u>BENCH</u>
	"A" "B"
CWR (lbs)	(in/cm) (in/cm)
1885.5	75 / 190.5 25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2037.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1047.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1256.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
947.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1158.2	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1066.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1219.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1769.3	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1921.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1667.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1819.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1043.5	75 / 190.5	25 / 63.5



Model	Ram 2500 4X4 169.5 in. WB <b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB <b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB <b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB <b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75 / 190.5	37.38999939 / 94.97059845

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2869.4	75 / 190.5	32.4300031 / 82.37220078

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2000.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1900.5	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2044.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	8510	
Model not recommended for slide-in camper application		

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2146.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2019.5	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1204.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1104.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1252.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1935.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1835.6	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
992.9	72.84999847 / 185.0389961	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1026.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1681.5	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1828.0	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 160.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1581.5	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 160.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1728.0	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB <b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB <b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
923.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 160.5 in. WB <b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench/Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB <b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Mega Cab, 6.4 Foot Box Bench/Bucket	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB <b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	8510	
Model not recommended for slide-in camper application		

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2500.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2636.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1900.9	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2036.9	75 / 190.5	25 / 63.5

---

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1040.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1233.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
948.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1143.1	75 / 190.5	25 / 63.5



---

Model Ram 2500 4X4 149.5 in. WB  
**5.7L V8 HEMI Gas Engine Engine**  
Cab (Box) Seats Crew Cab Short, 6.4 Foot box Bench  
GVWR (lbs) 9000

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75 / 190.5	25 / 63.5

---

---

Model Ram 2500 4X4 149.5 in. WB  
**5.7L V8 HEMI Gas Engine Engine**  
Cab (Box) Seats Crew Cab Short, 6.4 Foot box Bucket  
GVWR (lbs) 9000

BUCKET

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75 / 190.5	25 / 63.5

---

---

Model Ram 2500 4X4 169.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**  
Cab (Box) Seats Crew Cab, Long, 8 foot Box Bench  
GVWR (lbs) 10000

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75 / 190.5	25 / 63.5

---

---

Model Ram 2500 4X4 169.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**  
Cab (Box) Seats Crew Cab, Long, 8 foot Box Bucket  
GVWR (lbs) 10000

BUCKET

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1659.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1810.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1052.1	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

---

Model Ram 2500 4X4 169.5 in. WB  
**6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine**

Cab (Box) Seats Crew Cab, Long, 8 foot Box Bucket

GVWR (lbs) 9900

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
953.3	75 / 190.5	25 / 63.5

---

Model Ram 2500 4X4 169.5 in. WB  
**5.7L V8 HEMI Gas Engine Engine**

Cab (Box) Seats Crew Cab, Long, 8 foot Box Bench

GVWR (lbs) 9000

Model not recommended for slide-in camper application

---

Model Ram 2500 4X4 169.5 in. WB  
**5.7L V8 HEMI Gas Engine Engine**

Cab (Box) Seats Crew Cab, Long, 8 foot Box Bucket

GVWR (lbs) 9000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
988.4	75 / 190.5	25 / 63.5

---

Model Ram 2500 4X4 160.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**

Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket

GVWR (lbs) 10000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1801.0	75 / 190.5	25 / 63.5

---

Model Ram 2500 4X4 160.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**

Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket

GVWR (lbs) 9900

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1701.0	75 / 190.5	25 / 63.5

Model Ram 2500 4X4 160.5 in. WB  
**6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine**  
 Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket  
 GVWR (lbs) 10000  
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB  
**6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine**  
 Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket  
 GVWR (lbs) 9900  
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB  
**5.7L V8 HEMI Gas Engine Engine**  
 Cab (Box) Seats Mega Cab, 6.4 Foot Box Bucket  
 GVWR (lbs) 9000  
 Model not recommended for slide-in camper application

---

Model Ram 2500 4X4 149.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**  
 Cab (Box) Seats Crew Cab Short, 6.4 Foot box Bucket  
 GVWR (lbs) 10000

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
2072.8	75 / 190.5	25 / 63.5

---

Model Ram 2500 4X4 149.5 in. WB  
**6.4L V8 MID DUTY HEMI MDS ENGINE Engine**  
 Cab (Box) Seats Crew Cab Short, 6.4 Foot box Bucket  
 GVWR (lbs) 9900

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1972.8	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1198.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1098.1	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 149.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1176.7	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1853.3	75 / 190.5	25 / 63.5

---

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1753.3	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
990.2	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	<b>6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	<b>5.7L V8 HEMI Gas Engine Engine</b>	
Cab (Box) Seats	Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
913.7	75 / 190.5	25 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	<b>6.4L V8 MID DUTY HEMI MDS ENGINE Engine</b>	
Cab (Box) Seats	Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	8510	
Model not recommended for slide-in camper application		

**2015  
RAM 3500  
CAMPER GUIDE**

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3546.42	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3688.59	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6268.38	75.00 / 190.50	35.09 / 89.13

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6410.55	75.00 / 190.50	37.08 / 94.18

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6668.38	75.00 / 190.50	43.95 / 111.63

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6810.55	75.00 / 190.50	45.64 / 115.93

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3396.48	72.75 / 184.79	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3538.65	74.84 / 190.09	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5902.25	57.64 / 146.41	29.69 / 75.41

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6044.42	59.22 / 150.42	31.93 / 81.10

---

Model	Ram 3500 4x2 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3498.57	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x2 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3640.74	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5759.45	70.07 / 177.98	32.64 / 82.91

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5899.71	71.81 / 182.40	35.26 / 89.56

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3439.21	75.00 / 190.50	31.82 / 80.82

---

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3578.45	75.00 / 190.50	36.14 / 91.80

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5159.45	73.53 / 186.77	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5299.71	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2722.44	51.27 / 130.23	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2861.68	55.73 / 141.55	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4688.64	45.18 / 114.76	25.00 / 63.50

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4827.88	48.00 / 121.92	25.00 / 63.50

---



---

Model	Ram 3500 4x2 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3291.39	72.71 / 184.68	25.00 / 63.50

---



---

Model	Ram 3500 4x2 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3430.63	75.00 / 190.50	29.09 / 73.89

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2854.37	75.00 / 190.50	25.00 / 63.50

---

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3008.61	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2845.13	57.71 / 146.58	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2999.37	61.18 / 155.40	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2906.54	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3060.78	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3291.95	75.00 / 190.50	25.36 / 64.41

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3445.39	75.00 / 190.50	30.78 / 78.18

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5862.52	73.33 / 186.26	37.42 / 95.05

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6015.96	75.00 / 190.50	40.21 / 102.13

---



---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5162.52	75.00 / 190.50	25.00 / 63.50

---

---

Model	Ram 3500 4x2 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5315.96	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3168.64	47.26 / 120.04	25.27 / 64.19

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3314.61	51.74 / 131.42	30.71 / 78.00

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4811.72	45.25 / 114.94	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4965.16	48.40 / 122.94	25.00 / 63.50

---

---

Model	Ram 3500 4x2 SLT <b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3244.12	74.49 / 189.20	25.00 / 63.50

---

Model	Ram 3500 4x2 SLT <b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3397.56	75.00 / 190.50	28.28 / 71.83

---

Model	Ram 3500 4x2 LT / Tradesman <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3569.74	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x2 LT / Tradesman <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
6295.07	75.00 / 190.50	36.63 / 93.04

---

Model	Ram 3500 4x2 LT / Tradesman <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
6695.07	75.00 / 190.50	45.36 / 115.21



---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3395.41	72.58 / 184.35	25.00 / 63.50

---



---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5893.39	59.14 / 150.22	31.14 / 79.10

---



---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3521.92	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3000.54	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2991.31	60.15 / 152.78	25.00 / 63.50

---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3052.71	75.00 / 190.50	25.00 / 63.50

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3426.01	75.00 / 190.50	32.04 / 81.38

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5980.85	75.00 / 190.50	39.86 / 101.24

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5280.85	75.00 / 190.50	25.00 / 63.50

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3305.04	50.93 / 129.36	29.84 / 75.79

---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4965.28	48.24 / 122.53	25.00 / 63.50

---

Model	Ram 3500 4x2 LT / Tradesman	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3378.18	75.00 / 190.50	29.36 / 74.57

---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5722.79	69.19 / 175.74	31.51 / 80.04

---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5877.67	71.18 / 180.80	34.49 / 87.60

---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3361.42	75.00 / 190.50	29.40 / 74.68

---

---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3516.30	75.00 / 190.50	34.48 / 87.58

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5122.79	72.57 / 184.33	25.00 / 63.50

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5277.67	74.69000244 / 189.71	25 / 63.50

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2682.10	49.18999863 / 124.94	25 / 63.50

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2846.95	54.97999954 / 139.65	25 / 63.50

---

---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4699.76	44.65999985 / 113.44	25 / 63.50

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4866.60	48.00999832 / 121.95	25 / 63.50

---



---

Model	Ram 3500 4x2 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3213.60	71.18000031 / 180.80	25 / 63.50

---



---

Model	Ram 3500 4x2 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3368.48	74.55999756 / 189.38	27.21999931 / 69.14

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2849.54	75 / 190.50	25 / 63.50

---

---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3001.02	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2840.27	55.79000092 / 141.71	25 / 63.50

---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2991.75	59.77999878 / 151.84	25 / 63.50

---

Model	Ram 3500 4x2 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2901.71	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x2 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3053.19	75 / 190.50	25 / 63.50

---

---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3300.71	75 / 190.50	27.31999969 / 69.39

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3451.39	75 / 190.50	32.95999908 / 83.72

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5870.84	73.48000336 / 186.64	37.63000107 / 95.58

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
6021.52	75 / 190.50	40.59999847 / 103.12

---



---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5170.84	75 / 190.50	25 / 63.50

---

---

Model	Ram 3500 4x2 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5321.52	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3173.26	48.47999954 / 123.14	26.52000046 / 67.36

---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3323.94	53.38000107 / 135.59	32.40999985 / 82.32

---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4858.54	45.65999985 / 115.98	25 / 63.50

---

Model	Ram 3500 4x2 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5014.06	49.31999969 / 125.27	25 / 63.50

---



---

Model	Ram 3500 4x2 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3252.87	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x2 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3403.55	75 / 190.50	30.48999977 / 77.44

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5769.61	72.29000092 / 183.62	34.88000107 / 88.60

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3436.89	75 / 190.50	32.97000122 / 83.74

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5169.64	75 / 190.50	25 / 63.50

---

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2857.55	52.70999908 / 133.88	25 / 63.50

---



---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4830.24	46.75999832 / 118.77	25 / 63.50

---



---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3289.05	73.94999695 / 187.83	25.40999985 / 64.54

---



---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2971.74	75 / 190.50	25 / 63.50

---



---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2958.46	60.18999863 / 152.88	25 / 63.50

---

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3023.90	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3441.49	75 / 190.50	30.17000008 / 76.63

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5989.60	73.62000275 / 186.99	38.40000153 / 97.54

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5289.60	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3323.91	51.02000046 / 129.59	30.04999924 / 76.33

---

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4980.47	49.45000076 / 125.60	25 / 63.50

---

Model	Ram 3500 4x2 Longhorn / Limited	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3393.65	75 / 190.50	27.51000023 / 69.88

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6291.03	72.86000061 / 185.06	38.36999893 / 97.46

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6433.20	74.01000214 / 187.99	40.27999878 / 102.31

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3386.44	75 / 190.50	25 / 63.50

---

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3528.61	75 / 190.50	25 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5891.03	74.94000244 / 190.35	28.56999969 / 72.57

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6033.20	75.00 / 190.50	30.84 / 78.33

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3407.21	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3549.38	75.00 / 190.50	26.16 / 66.45

---

---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5503.03	65.36 / 166.01	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5645.20	66.85 / 169.80	25.18 / 63.96

---



---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3334.38	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3476.55	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5549.78	65.55 / 166.50	29.59 / 75.16

---

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5689.02	67.44 / 171.30	32.36 / 82.19

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3356.74	75.00 / 190.50	31.23 / 79.32

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3495.98	75.00 / 190.50	35.68 / 90.63

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4849.78	69.19 / 175.74	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4989.02	71.25 / 180.98	25.00 / 63.50

---

---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	12400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3097.32	59.60 / 151.38	32.92 / 83.62

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	12400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3236.56	63.18 / 160.48	37.65 / 95.63

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4342.17	53.33 / 135.46	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4481.41	56.11 / 142.52	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3308.90	74.58 / 189.43	28.82 / 73.20

---



---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3448.14	75.00 / 190.50	33.43 / 84.91

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2870.72	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3024.96	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2670.29	69.92 / 177.60	25.00 / 63.50

---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2819.99	72.99 / 185.39	25.00 / 63.50

---

---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2774.20	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2928.44	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5509.42	65.47 / 166.29	27.26 / 69.24

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5662.86	67.68 / 171.91	30.51 / 77.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3256.62	75.00 / 190.50	25.04 / 63.60

---

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3410.06	75.00 / 190.50	30.52 / 77.52

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
4809.42	68.86 / 174.90	25.00 / 63.50

---

Model	Ram 3500 4x4 SLT	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
4962.86	71.27 / 181.03	25.00 / 63.50

---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3073.55	57.49 / 146.02	25.00 / 63.50

---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3226.99	61.75 / 156.85	29.63 / 75.26

---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4440.44	53.40 / 135.64	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4591.59	55.77 / 141.66	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3168.16	71.66 / 182.02	25.00 / 63.50

---



---

Model	Ram 3500 4x4 SLT	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3321.60	75.00 / 190.50	27.07 / 68.76

---



---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6289.65	72.74 / 184.76	38.25 / 97.16

---

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3390.62	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5889.65	74.81 / 190.02	28.43 / 72.21

---



---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3409.09	75.00 / 190.50	25.00 / 63.50

---



---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5502.97	65.28 / 165.81	25.00 / 63.50

---



---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3325.67	75.00 / 190.50	25.00 / 63.50

---

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3047.71	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2807.25	72.39 / 183.87	25.00 / 63.50

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2954.56	75.00 / 190.50	25.00 / 63.50

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5648.85	67.82 / 172.26	30.57 / 77.65

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3385.36	75.00 / 190.50	29.98 / 76.15

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4948.85	71.44 / 181.46	25.00 / 63.50

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3217.88	61.19 / 155.42	28.98 / 73.61

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4587.21	55.76 / 141.63	25.00 / 63.50

---

Model	Ram 3500 4x4 LT / Tradesman	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3306.56	74.94 / 190.35	26.69 / 67.79

---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5541.58	64.82 / 164.64	28.81 / 73.18

---

Model	Ram 3500 4x4 Laramie <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5696.46	66.99 / 170.15	31.96 / 81.18

---

Model	Ram 3500 4x4 Laramie <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3251.49	75.00 / 190.50	28.16 / 71.53

---

Model	Ram 3500 4x4 Laramie <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3406.37	75.00 / 190.50	33.46 / 84.99

---

Model	Ram 3500 4x4 Laramie <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
4841.58	68.36 / 173.63	25.00 / 63.50

---

Model	Ram 3500 4x4 Laramie <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
4996.46	70.73 / 179.65	25.00 / 63.50



---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	12400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3040.45	58.53 / 148.67	31.35 / 79.63

---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	12400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3207.29	62.89 / 159.74	37.13 / 94.31

---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4333.45	53.20 / 135.13	25.00 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4500.29	56.50999832 / 143.54	25 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3203.67	72.88999939 / 185.14	25.62999916 / 65.10

---

---

Model	Ram 3500 4x4 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3358.55	75 / 190.50	31.12000084 / 79.04

---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2867.83	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3019.31	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2647.03	69.15000153 / 175.64	25 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2799.82	72.87000275 / 185.09	25 / 63.50

---

---

Model	Ram 3500 4x4 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2763.40	75 / 190.50	25 / 63.50

---



---

Model	Ram 3500 4x4 Laramie	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2925.24	75 / 190.50	25 / 63.50

---



---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5553.47	65.83999634 / 167.23	27.93000031 / 70.94

---



---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5704.15	68.23000336 / 173.30	31.32999992 / 79.58

---



---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3224.58	75 / 190.50	25 / 63.50

---

---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3375.26	75 / 190.50	29.77000046 / 75.62

---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
4853.47	69.25 / 175.90	25 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5004.15	71.87999725 / 182.58	25 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3045.63	56.25 / 142.88	25 / 63.50

---

Model	Ram 3500 4x4 Laramie	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3206.67	61.25 / 155.58	28.93000031 / 73.48

---

Model	Ram 3500 4x4 Laramie <b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4472.09	53.25 / 135.26	25 / 63.50

---



---

Model	Ram 3500 4x4 Laramie <b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4631.55	56.77000046 / 144.20	25 / 63.50

---



---

Model	Ram 3500 4x4 Laramie <b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3146.27	71.11000061 / 180.62	25 / 63.50

---



---

Model	Ram 3500 4x4 Laramie <b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3298.31	74.91999817 / 190.30	26.51000023 / 67.34

---



---

Model	Ram 3500 4x4 Longhorn / Limited <b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5638.86	66.73000336 / 169.49	31.34000015 / 79.60

---

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3328.06	75 / 190.50	32.04999924 / 81.41

---



---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4938.86	70.47000122 / 178.99	25 / 63.50

---



---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	12400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3146.45	62.15999985 / 157.89	36.04999924 / 91.57

---



---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4457.72	56.27000046 / 142.93	25 / 63.50

---



---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Mega Cab 6'4 Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3280.23	75 / 190.50	29.62999916 / 75.26

---

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2967.87	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2770.42	73.81999969 / 187.50	25 / 63.50

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 6'4 Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2900.02	75 / 190.50	25 / 63.50

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
5638.02	68.31999969 / 173.53	30.98999977 / 78.71

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3357.97	75 / 190.50	30.26000023 / 76.86

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.4L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4938.02	72.02999878 / 182.96	25 / 63.50

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>6.7L 6-Cyl Turbo Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4560.12	56.66999817 / 143.94	25 / 63.50

---

Model	Ram 3500 4x4 Longhorn / Limited	
	<b>5.7L V8 Hemi Engine</b>	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3238.96	75 / 190.50	26.29000092 / 66.78

---

\*Camper is not recommended for vehicles with Rambox or Box-Off



