

CONSUMER INFORMATION ON:

- **Cargo Weight Rating**
- **Center of Gravity**

for 2017

**RAM
TRUCKS**

Camper Application

2017

Consumer Information
Ram Trucks for
Camper Application

Under the authority of the National Traffic and Motor Vehicle Safety Act, the National Highway Traffic Safety Administration (NHTSA) has established certain requirements concerning trucks capable of accommodating slide-in campers. Manufacturers of such trucks are required to provide, "... the cargo weight rating and the longitudinal limits within which the center of gravity should be located."

This booklet is a compilation of that data. It is designed for the use and guidance of prospective purchasers who intend to use Ram light-duty pickup trucks to carry slide-in campers and related equipment.

Because conditions of improper load distribution or overloading can have adverse effects on vehicle steering and braking ... possibly resulting in accidents ... knowledge of the cargo weight rating and location of the center of gravity should be important factors to the prospective purchaser of any truck-camper combination.

In keeping with governmental requirements, this information must be maintained in truck dealerships and must be made available to all prospective purchasers who request it. If it becomes necessary to revise this information during a model year, dealers are responsible for making such revisions available to the public.

FCA US LLC

.....

EXCLUSIONS:

The following Ram Truck models are **NOT** recommended for slide-in camper applications:


RAM

- All Ram 2500 Power Wagon models.

**Additional copies of this
publication are available
at no cost from:**

**FCA US LLC
P.O. Box 3189
Highland Park, Michigan 48203**

CONSUMER INFORMATION: TRUCK-CAMPER LOADING



The tables on the following pages designate the Cargo Weight Rating and the Center of Gravity Zone for each vehicle listed.

- CARGO WEIGHT RATING (CWR) for a given truck model is the cargo capacity, in pounds, excluding the weight of occupants in the cab of the vehicle.
- CENTER OF GRAVITY (CG) ZONE is the area BETWEEN the forward limit dimension "A", and the rearward limit dimension "B" ... both measured in inches from the rear end of the truck bed or pickup box (see illustration above).
- When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure, the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of passengers in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended center of gravity zone when installed.
- Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive to a scale and weigh on the front and on the rear wheels separately to determine axle loads. Individual axle loads should not exceed either of the gross axle weight ratings (GAWR). The total of the axle loads should not exceed the gross vehicle weight rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

USING THE TABLES:

- At the top of each page are descriptions of the truck models; wheelbase; type of cab; size of pickup box; style of seats; and the gross vehicle weight rating (GVWR) applicable to the truck.
- Sub-headings classify the CWR and CG zone dimensions based on engine types available. Under the "options" column, items of optional equipment (related to the vehicle's intended use) are listed in various combinations, indicating their influence on CWR figures.
- When reading the tables, you will notice that, as more optional equipment is added to the base vehicle (reading down from line 1 to line 8), the CWR is decreased due to the additional weight of the options. At the same time, the size of the CG zone changes due to the LOCATION of the added weight.

INSTALLING THE CAMPER:

- The center of gravity (CG) of the loaded camper, as determined and marked by the camper manufacturer, must fall within the CG zone of the truck (see illustration above).
- The total weight of the fully-equipped camper, furnished by the camper manufacturer, should not exceed the CWR of the truck. After the camper and auxiliary equipment is installed, proper loading should be verified on an accurate truck scale before putting the vehicle into service.
- Be sure the gross vehicle weight rating (GVWR) of the truck is not exceeded and that the loading on front and rear axle systems does not exceed their respective gross axle weight ratings (GAWR).

NOTE: GVWR and GAWR data for the truck appears on the Safety Certification label, located on the door-latch post, on the driver's side.

**2017
RAM 1500
CAMPER GUIDE**

Model Ram 1500 4X2 HFE (High Fuel Economy)
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6945
Model not recommended for slide-in camper application

Model Ram 1500 4X2 HFE (High Fuel Economy)
3.6L V6 W/ESS Engine
Cab (Box) Seats Reg Cab 6'4" Box Bench
GVWR (lbs) 6010
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6950
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6025
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bucket
 GVWR (lbs) 6025

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
956.1199951	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6350
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bucket
 GVWR (lbs) 6350

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1010.799988	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bench
 GVWR (lbs) 6600

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1091.949951	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bucket
 GVWR (lbs) 6600

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1220.109985	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Reg Cab 8' Box Bench/Bucket
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
992.7000122	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	6600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1109.900024	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine

Cab (Box) Seats Crew Cab 6'4" Box Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6900

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6025
 Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6350

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
965.0900269	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 ST, Tradesman, Express
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bench
 GVWR (lbs) 6600

BENCH

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1132.390015	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
 Cab (Box) Seats Reg Cab 8' Box Bench
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
990.9299927	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6950	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	6900	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 3.6L V6 Engine	
Cab (Box) Seats	Crew Cab 5'7" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 5'7" Box Bench	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model Ram 1500 4X2 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bucket
GVWR (lbs) 6200
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6200
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6200
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X2 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6900
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench
 GVWR (lbs) 6300
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bucket
 GVWR (lbs) 6300

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
969.7399902	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6350
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bench
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
 Cab (Box) Seats Reg Cab 8' Box Bucket
 GVWR (lbs) 6600

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
990	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Reg Cab 8' Box Bench/Bucket
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
 Cab (Box) Seats Reg Cab 8' Box Bench/Bucket
 GVWR (lbs) 6600
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6800
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
 Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
 GVWR (lbs) 6950
 Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bench
GVWR (lbs) 6300
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bench
GVWR (lbs) 6350
Model not recommended for slide-in camper application

Model	Ram 1500 4X4 ST, Tradesman, Express 3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
957.0300293	75.0 / 190.5	25 / 63.5

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine

Cab (Box) Seats Reg Cab 8' Box Bench

GVWR (lbs) 6600

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine

Cab (Box) Seats Reg Cab 8' Box Bench

GVWR (lbs) 6600

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine

Cab (Box) Seats Crew Cab 6'4" Box Bench

GVWR (lbs) 6900

Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 ST, Tradesman, Express
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Laramie
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
3.0L DIE Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6950
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Longhorn, Laramie Limited
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Quad Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Reg Cab 6'4" Box Bucket
GVWR (lbs) 6350
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 6'4" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Sport, R/T
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SSV
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 SSV
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6900
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
3.6L V6 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

Model Ram 1500 4X4 Rebel
5.7L V8 Engine
Cab (Box) Seats Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs) 6800
Model not recommended for slide-in camper application

**2017
RAM 2500
CAMPER GUIDE**

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3280	75.0 / 190.5	27.3 / 69.2

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3435	75.0 / 190.5	31.7 / 80.4

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3198	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3340	75.0 / 190.5	27.3 / 69.3

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2302	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2538	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2200	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2437	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2349	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2490	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1999	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2153	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1898	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2051	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1093	66.2 / 168.0	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1310	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
991	68.6 / 174.2	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1209	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1033	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1186	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2306	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2457	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2204	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2356	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1374	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1584	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1272	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1483	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1377	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1529	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2136	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2283	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2034	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2181	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1207	68.7 / 174.6	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1418	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1107	71.1 / 180.6	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1318	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1184	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1331	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3384	75.0 / 190.5	50.8 / 129.1

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3322	75.0 / 190.5	28.5 / 72.4

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3330	75.0 / 190.5	28.7 / 72.9

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3284	75.0 / 190.5	46.7 / 118.7

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3222	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3230	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2447	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2385	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2393	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2347	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2285	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2293	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2478	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2410	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2417	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2549	75.0 / 190.5	32.1 / 81.6

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2486	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2494	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2449	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2386	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2394	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1626	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1564	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1572	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1526	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1464	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1472	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1645	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1582	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1590	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2378	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2315	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2323	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2278	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2215	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2223	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1437	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1375	74.7 / 189.6	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1383	75.0 / 190.4	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1337	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1275	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1283	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1472	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1410	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1418	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2022	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2174	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1922	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2074	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1075	74.7 / 189.8	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1291	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
975	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1191	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1093	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1245	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2353	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2504	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2253	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2404	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1381	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1591	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1281	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1491	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1425	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1576	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2112	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2263	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2012	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2163	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1195	66.1 / 168.0	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1410	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1095	68.3 / 173.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1310	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1180	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1331	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2143	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2043	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1207	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1107	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1191	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2392	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2292	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1501	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1401	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1481	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2189	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2089	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1291	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1191	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1257	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2579	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2721	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2129	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2428	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2569	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1978	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1622	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1842	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1172	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1520	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1741	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1220	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1606	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1748	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1153	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1358	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1512	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1257	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 160.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bucket
 GVWR (lbs) 9900

BUCKET

CWR (lbs)	"A" (in/cm)	"B" (in/cm)
1410	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 160.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bench
 GVWR (lbs) 9900
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bench/Bucket
 GVWR (lbs) 10000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bench
 GVWR (lbs) 10000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bench/Bucket
 GVWR (lbs) 9900
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bench
 GVWR (lbs) 9900
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB
5.7L V8 HEMI Gas Engine Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bench/Bucket
 GVWR (lbs) 9000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 160.5 in. WB
5.7L V8 HEMI Gas Engine Engine
 Cab (Box) Seats SLT, Mega Cab, 6.4 Foot Box Bench
 GVWR (lbs) 9000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 149.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats SLT, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 10000

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5
1610		

Model Ram 2500 4X4 149.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats SLT, Crew Cab Short, 6.4 Foot box Bucket
 GVWR (lbs) 10000

BUCKET

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5
1761		

Model Ram 2500 4X4 149.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats SLT, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 10000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 149.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats SLT, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 9900

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5
1509		

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1660	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench/Bucket	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench/Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB 5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench/Bucket	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB 5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1413	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1560	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1312	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1459	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 9900
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats SLT, Crew Cab, Long, 8 foot Box Bench/Bucket
GVWR (lbs) 10000
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 10000
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats SLT, Crew Cab, Long, 8 foot Box Bench/Bucket
GVWR (lbs) 9900
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 9900
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats SLT, Crew Cab, Long, 8 foot Box Bench/Bucket
GVWR (lbs) 9000
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 9000
Model not recommended for slide-in camper application

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2623	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2173	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2568	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2560	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2523	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2073	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2460	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2468	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1733	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1283	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1678	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1670	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1633	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1183	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1578	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1570	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1719	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1266	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1656	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1664	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	8510	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1872	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
972	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1817	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1809	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1772	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1717	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1709	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
958	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 149.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats ST, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 10000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 149.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats ST, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 10000

CWR (lbs)	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
904	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 149.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats ST, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 9900
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 149.5 in. WB
5.7L V8 HEMI Gas Engine Engine
 Cab (Box) Seats ST, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 9000

CWR (lbs)	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
949	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 149.5 in. WB
5.7L V8 HEMI Gas Engine Engine
 Cab (Box) Seats ST, Crew Cab Short, 6.4 Foot box Bench
 GVWR (lbs) 9000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 10000

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 10000
Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 10000

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 10000

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs) 9900

BENCH

	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
 GVWR (lbs) 9900
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
 GVWR (lbs) 9900

CWR (lbs)	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
1516	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.4L V8 MID DUTY HEMI MDS ENGINE Engine
 Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
 GVWR (lbs) 9900

CWR (lbs)	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
1508	75.0 / 190.5	25.0 / 63.5

Model Ram 2500 4X4 169.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
 GVWR (lbs) 10000
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
 Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
 GVWR (lbs) 9900
 Model not recommended for slide-in camper application

Model Ram 2500 4X4 169.5 in. WB
5.7L V8 HEMI Gas Engine Engine
 Cab (Box) Seats ST, Crew Cab, Long, 8 foot Box Bench
 GVWR (lbs) 9000
 Model not recommended for slide-in camper application

**2017
RAM 3500
CAMPER GUIDE**

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3512	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3648	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6227	75.0 / 190.5	34.7 / 88.0

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6363	75.0 / 190.5	36.6 / 92.9

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6627	75.0 / 190.5	43.6 / 110.7

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6763	75.0 / 190.5	45.2 / 114.9

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3402	73.4 / 186.4	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3538	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5910	58.2 / 147.8	30.2 / 76.7

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6047	59.7 / 151.6	32.3 / 82.1

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3463	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3599	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5561	72.0 / 182.8	33.2 / 84.3

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5623	73.3 / 186.1	34.9 / 88.7

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3361	75.0 / 190.5	32.2 / 81.9

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3423	75.0 / 190.5	35.1 / 89.1

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4961	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5023	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2694	51.6 / 131.1	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2756	54.7 / 138.9	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4695	45.8 / 116.3	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4756	47.7 / 121.0	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3232	72.4 / 183.9	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3294	74.6 / 189.5	26.2 / 66.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2817	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2969	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2847	58.4 / 148.3	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3000	62.3 / 158.1	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2878	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3030	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3269	75.0 / 190.5	25.5 / 64.7

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3421	75.0 / 190.5	31.3 / 79.4

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5817	72.7 / 184.5	36.5 / 92.6

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5969	74.8 / 189.9	39.5 / 100.4

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5117	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	47.8 / 121.3	25.4 / 64.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	52.8 / 134.0	31.4 / 79.8

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	46.1 / 117.0	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A" (in/cm)	"B" (in/cm)
CWR (lbs)	49.5 / 125.6	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3239	74.7 / 189.8	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3390	75.0 / 190.5	28.8 / 73.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6744	75.0 / 190.5	47.0 / 119.3

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3514	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6244	75.0 / 190.5	36.1 / 91.7

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6644	75.0 / 190.5	44.9 / 114.1

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6959	75.0 / 190.5	50.9 / 129.4

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3395	73.6 / 186.9	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5912	59.6 / 151.4	31.6 / 80.3

Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3467	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2962	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2963	59.4 / 151.0	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3023	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3381	75.0 / 190.5	28.7 / 72.8

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5936	74.3 / 188.6	38.6 / 97.9

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5236	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3293	51.1 / 129.8	29.7 / 75.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4969	48.5 / 123.2	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3369	75.0 / 190.5	28.8 / 73.1

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5629	70.7 / 179.5	32.4 / 82.2

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5796	72.7 / 184.8	35.5 / 90.3

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3280	75.0 / 190.5	29.6 / 75.3

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3447	75.0 / 190.5	35.1 / 89.1

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5029	74.3 / 188.7	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5196	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2651	49.3 / 125.3	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2817	54.9 / 139.4	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4754	46.1 / 117.1	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4921	49.4 / 125.4	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3151	70.7 / 179.7	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3318	74.3 / 188.8	26.3 / 66.8

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2808	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2970	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2849	56.8 / 144.3	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3011	61.0 / 154.9	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2869	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3031	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3269	75.0 / 190.5	27.1 / 68.8

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3430	75.0 / 190.5	33.1 / 84.2

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5832	73.0 / 185.3	36.9 / 93.6

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5993	75.0 / 190.5	40.1 / 101.8

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5132	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5293	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3145	47.3 / 120.2	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3306	52.6 / 133.6	31.3 / 79.6

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4829	45.7 / 116.2	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4990	49.3 / 125.2	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3235	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3396	75.0 / 190.5	30.4 / 77.2

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5671	73.1 / 185.6	35.0 / 89.0

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3356	75.0 / 190.5	33.3 / 84.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5071	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2775	55.2 / 140.3	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4831	47.4 / 120.3	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3227	73.6 / 186.9	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2970	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2937	61.4 / 155.9	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2991	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3410	75.0 / 190.5	30.0 / 76.1

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5951	73.4 / 186.5	38.0 / 96.6

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5251	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3332	52.0 / 132.0	30.9 / 78.4

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4933	49.7 / 126.2	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3381	75.0 / 190.5	27.5 / 69.8

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6181	73.2 / 185.9	37.0 / 94.0

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6318	74.3 / 188.7	38.9 / 98.8

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5426	52.6 / 133.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3234	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3370	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2479	66.0 / 167.7	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5781	75.0 / 190.5	26.9 / 68.4

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5918	75.0 / 190.5	29.2 / 74.1

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5026	53.4 / 135.7	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3308	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3444	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2553	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5431	66.2 / 168.0	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5567	67.6 / 171.7	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4676	42.3 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3236	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3372	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2481	55.5 / 141.0	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5369	65.8 / 167.2	27.1 / 68.8

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5430	67.2 / 170.8	28.9 / 73.4

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4739	42.5 / 108.1	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3161	75.0 / 190.5	26.5 / 67.4

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3223	75.0 / 190.5	29.6 / 75.3

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2531	45.9 / 116.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4669	69.7 / 176.9	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4730	71.2 / 180.9	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4039	42.9 / 109.1	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2882	61.9 / 157.2	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2943	64.6 / 164.0	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2252	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4242	54.3 / 137.8	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4303	56.2 / 142.8	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3612	40.4 / 102.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3154	74.4 / 188.9	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3215	75.0 / 190.5	26.8 / 68.1

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2524	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2692	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2844	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1957	44.3 / 112.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2578	71.9 / 182.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2730	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1843	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2657	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2810	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1922	40.4 / 102.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5335	65.6 / 166.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5487	68.1 / 172.9	28.1 / 71.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4680	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3065	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3217	75.0 / 190.5	25.7 / 65.4

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2410	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4635	69.1 / 175.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4787	71.8 / 182.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3980	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2974	58.2 / 147.9	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3125	63.0 / 160.0	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2319	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4343	54.1 / 137.4	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4495	57.5 / 146.2	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3688	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3046	72.2 / 183.3	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3198	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2391	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6170	72.9 / 185.2	36.7 / 93.2

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5330	49.6 / 125.9	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3221	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2381	60.0 / 152.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5770	75.0 / 190.5	26.6 / 67.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4930	50.2 / 127.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3335	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2495	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5428	66.0 / 167.6	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4588	42.3 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3222	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2382	49.0 / 124.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2842	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1932	40.5 / 102.8	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2728	73.2 / 186.0	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1818	40.5 / 102.8	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2809	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1899	40.5 / 102.8	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5490	67.1 / 170.5	27.2 / 69.1

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4700	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3222	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2432	42.3 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4790	70.8 / 179.8	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4000	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3127	61.4 / 155.9	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2337	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4516	56.3 / 143.1	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3726	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3187	74.7 / 189.7	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2397	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5350	64.9 / 164.7	26.0 / 65.9

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5517	67.2 / 170.7	29.5 / 74.9

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4730	42.0 / 106.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3057	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3224	75.0 / 190.5	28.9 / 73.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2437	43.1 / 109.4	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4650	68.6 / 174.1	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4817	71.1 / 180.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4030	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2809	55.9 / 141.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2976	60.7 / 154.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2189	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4243	53.8 / 136.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4410	57.1 / 145.1	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3623	40.4 / 102.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3027	72.3 / 183.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3194	75.0 / 190.5	25.8 / 65.6

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2407	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2648	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2810	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1918	43.1 / 109.4	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2540	70.3 / 178.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2702	74.1 / 188.2	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1810	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2658	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2819	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1928	40.4 / 102.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5411	65.3 / 165.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5572	67.9 / 172.6	28.6 / 72.7

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4711	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3128	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3289	75.0 / 190.5	27.8 / 70.7

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2428	42.3 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4711	68.8 / 174.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4872	71.6 / 181.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4011	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2994	58.2 / 147.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3155	63.2 / 160.4	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2294	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4382	53.8 / 136.6	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4543	57.4 / 145.8	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3682	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3052	72.2 / 183.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3204	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2352	42.3 / 107.4	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5479	66.8 / 169.6	28.8 / 73.1

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4859	44.7 / 113.6	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3171	75.0 / 190.5	27.4 / 69.7

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2551	48.0 / 122.0	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4779	70.6 / 179.4	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4159	45.5 / 115.4	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2953	63.5 / 161.3	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2333	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4392	56.9 / 144.6	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3772	40.4 / 102.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3152	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2532	40.4 / 102.6	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2787	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2057	48.6 / 123.4	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2687	74.3 / 188.7	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1957	40.4 / 102.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2790	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2060	40.4 / 102.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5496	67.9 / 172.4	28.0 / 71.1

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4796	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3241	75.0 / 190.5	26.0 / 65.9

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2541	42.3 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4796	71.6 / 181.9	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4096	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3126	62.5 / 158.9	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2471	42.3 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4497	57.3 / 145.6	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3842	42.2 / 107.3	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
3222	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
	(in/cm)	(in/cm)
CWR (lbs)		
2567	42.3 / 107.3	25.0 / 63.5

FCA US LLC

17CMP-826-ENG-AA



Printed in U.S.A.